

Find your fishing platform

Six aluminium hardtop models. Local help to plan your hull, fit-out and finish.

Starting from A\$68,200 incl. GST | 5-Year Hull Warranty

Profisher 6.25 m: A\$62,000 excl. GST. Includes the boat, engine and specified optional equipment only. Trailer and all other items excluded. Ask us for the itemised starting package. Warranty covers the hull; ask for the written terms.

Compare the core specifications

Model	Hull (m)	Beam (m)	Power (hp)	Fuel (L)	Weight* (kg)
Easy Craft 6.0	6.00	2.24	115-175	200	980
Easy Craft 6.5	6.50	2.24	150-200	250	1,150
Easy Craft 7.5	7.50	2.46	300-350	350	1,700
Profisher 6.25	6.00	2.30	115-200	150	1,150
Profisher 6.85	6.85	2.44	175-200	250	1,350
Profisher 7.5	7.50	2.44	250-350	350	1,680

* Supplier-listed hull or dry figures; not a complete boat, motor and trailer (BMT) package or tow rating. Fuel and capacity figures are configuration-specific. Final specifications and package weights must be confirmed in your quotation.

Your boat, in four simple steps

01 Choose your hull

Find the size and layout for your boating plans.

02 Select your fit-out

Discuss engine, electronics, seating and equipment.

03 Personalise your design

Choose colours and hull graphics; agree the artwork.

04 Confirm your order

Review price, payment terms and estimated delivery, then make the agreed payment.

Easy Craft 6.0

EC600 / Compact pontoon-style hardtop



A compact hardtop with a 6.00 m hull and pontoon-style sides. Plan a practical fishing setup around its bait station, rod storage and 200 L fuel tank, then choose the electronics and seating that suit your day on the water.

5-Year Hull Warranty. Ask us for the written hull warranty terms and your tailored boat and engine quotation. Trailer quoted separately.

Manufacturer range reference. Engines, trailers, graphics and fitted accessories shown are not automatically included.

Configuration specifications

Hull length	6.00 m
Maximum length	6.25 m
Beam	2.24 m
Hull depth (supplier measurement)	1.10 m
Bottom plate	5 mm
Pontoon plate	3 mm
Transom plate	Confirm with quote
Listed hull / dry weight	980 kg

Fuel tank	200 L
Listed power range	115-175 hp
Listed maximum persons	6
Single-engine shaft	25 in
Twin-engine shaft	Confirm with quote
Fish tank	Not specified
Live-bait tank	40 L

Fishing and cabin features

- Hardtop with rod storage
- Side storage and folding rear seating
- 40 L live-bait tank and cutting board
- Sliding windows, wiper and bilge pump

The manufacturer does not list a self-draining deck as standard for this model. Discuss deck drainage and your intended operating conditions with our team.

Listed power and persons are supplier reference figures. Confirm the Australian Builders Plate (ABP) for the supplied vessel. Hull depth is not internal freeboard. Photos do not define inclusions.

Specification basis: Manufacturer model listing reviewed 9 October 2026

Easy Craft 6.5

6.5m Easy Craft / More hull length, compact beam



Step up to a 6.50 m hull while retaining a 2.24 m beam. The hardtop, fishing storage and 250 L fuel tank give you a starting point for a tailored fishing package, with steering, electronics and deck equipment selected around your priorities.

5-Year Hull Warranty. Ask us for the written hull warranty terms and your tailored boat and engine quotation. Trailer quoted separately.

Manufacturer range reference. Engines, trailers, graphics and fitted accessories shown are not automatically included.

Configuration specifications

Hull length	6.50 m
Maximum length	6.52 m
Beam	2.24 m
Hull depth (supplier measurement)	1.20 m
Bottom plate	5 mm
Pontoon plate	3 mm
Transom plate	Confirm with quote
Listed hull / dry weight	1,150 kg

Fuel tank	250 L
Listed power range	150-200 hp
Listed maximum persons	6
Single-engine shaft	25 in
Twin-engine shaft	20 in
Fish tank	Not specified
Live-bait tank	40 L

Fishing and cabin features

- 6.50 m hull with hardtop shelter
- 250 L fuel tank and 40 L live-bait tank
- Rod holders and side storage trays
- Sliding windows and electric wiper

Deck drainage specification must be confirmed for the ordered build. Engine count and shaft lengths also require package confirmation.

Listed power and persons are supplier reference figures. Confirm the Australian Builders Plate (ABP) for the supplied vessel. Hull depth is not internal freeboard. Photos do not define inclusions.

Specification basis: Manufacturer model listing reviewed 9 October 2026

Easy Craft 7.5

Easycraft-GP750 / Larger cabin and fishing platform



A larger Easy Craft platform with a cabin door, 350 L fuel tank and 50 L live-bait tank. Discuss a package that balances cockpit working space with cabin comfort, then work through engine, trailer and electronics requirements before ordering.

5-Year Hull Warranty. Ask us for the written hull warranty terms and your tailored boat and engine quotation. Trailer quoted separately.

Manufacturer range reference. Engines, trailers, graphics and fitted accessories shown are not automatically included.

Configuration specifications

Hull length	7.50 m	Fuel tank	350 L
Maximum length	7.68 m	Listed power range	300-350 hp
Beam	2.46 m	Listed maximum persons	8
Hull depth (supplier measurement)	1.31 m	Single-engine shaft	30 in
Bottom plate	6 mm	Twin-engine shaft	25 in
Pontoon plate	4 mm	Fish tank	Not specified
Transom plate	Confirm with quote	Live-bait tank	50 L
Listed hull / dry weight	1,700 kg		

Fishing and cabin features

- 7.50 m hull and 2.46 m beam
 - 50 L live-bait tank with rod holders
- Cabin door and sliding windows
 - Self-draining system and bilge pump listed

A 2.46 m beam is the boat measurement, not the overall trailer width. Confirm complete package dimensions and tow weights before choosing a trailer or tow vehicle.

Listed power and persons are supplier reference figures. Confirm the Australian Builders Plate (ABP) for the supplied vessel. Hull depth is not internal freeboard. Photos do not define inclusions.

Specification basis: Manufacturer model listing reviewed 9 October 2026

Profisher 6.25

GP-P625 / Australian specification package



A compact plate-aluminium hardtop with dedicated fish and live-bait storage. Start with the GP-P625 Australian specification, then plan your sounder, seating, deck finish and engine package with our local team.

From A\$68,200 incl. GST (A\$62,000 excl. GST). Boat, engine and specified options only; all other items excluded. 5-Year Hull Warranty; ask for written terms.

Manufacturer range reference. Engines, trailers, graphics and fitted accessories shown are not automatically included.

Configuration specifications

Hull length	6.00 m
Maximum length	6.25 m
Beam	2.30 m
Hull depth (supplier measurement)	1.35 m
Bottom plate	6 mm
Topside plate	4 mm
Transom plate	6 mm
Listed hull / dry weight	1,150 kg

Fuel tank	150 L
Listed power range	115-200 hp
Listed maximum persons	6
Single-engine shaft	30 in
Twin-engine shaft	25 in
Fish tank	45 L
Live-bait tank	35 L

Fishing and cabin features

- 6 mm bottom and transom plates
- 45 L fish tank and 35 L live-bait tank
- Hardtop rod storage and folding rear seat
- Self-draining system and bilge pump listed

Specifications on this page are for GP-P625 only. Manufacturer range photographs may show a different fit-out. Your final quotation identifies the ordered hull and equipment.

Listed power and persons are supplier reference figures. Confirm the Australian Builders Plate (ABP) for the supplied vessel. Hull depth is not internal freeboard. Photos do not define inclusions.

Specification basis: GP-P625 Australian specification supplied by the dealer

Profisher 6.85

6.85m Profisher / Intermediate plate-aluminium hardtop



An intermediate Profisher with a 2.44 m beam, 250 L fuel tank and a larger listed fish tank. Compare its cockpit and cabin layout with the 6.25 and 7.5, then tailor the fishing equipment and helm setup to your plans.

5-Year Hull Warranty. Ask us for the written hull warranty terms and your tailored boat and engine quotation. Trailer quoted separately.

Manufacturer range reference. Engines, trailers, graphics and fitted accessories shown are not automatically included.

Configuration specifications

Hull length	6.85 m
Maximum length	7.20 m
Beam	2.44 m
Hull depth (supplier measurement)	1.32 m
Bottom plate	6 mm
Topside plate	5 mm
Transom plate	6 mm

Listed hull / dry weight
 1,350 kg

Fuel tank	250 L
Listed power range	175-200 hp
Listed maximum persons	7
Single-engine shaft	30 in
Twin-engine shaft	25 in
Fish tank	110 L
Live-bait tank	45 L

Fishing and cabin features

- 6 mm bottom and transom plates
- 110 L fish tank and 45 L live-bait tank
- Hardtop rod storage and sliding windows
- Self-draining system and bilge pump listed

Cabin-door arrangements and cockpit dimensions must be confirmed for your build. Manufacturer range images may show optional equipment.

Listed power and persons are supplier reference figures. Confirm the Australian Builders Plate (ABP) for the supplied vessel. Hull depth is not internal freeboard. Photos do not define inclusions.

Specification basis: Manufacturer model listing reviewed 9 October 2026

Profisher 7.5

GP-P750F / Enclosed-cabin configuration



The larger enclosed-cabin Profisher gives you a 7.50 m hull and a 350 L fuel tank in the supplied GP-P750F configuration. Discuss a fishing-focused fit-out or add cabin comforts, with every inclusion clearly set out in your package quotation.

5-Year Hull Warranty. Ask us for the written hull warranty terms and your tailored boat and engine quotation. Trailer quoted separately.

Manufacturer range reference. Engines, trailers, graphics and fitted accessories shown are not automatically included.

Configuration specifications

Hull length	7.50 m	Fuel tank	350 L
Maximum length	7.88 m	Listed power range	250-350 hp
Beam	2.44 m	Listed maximum persons	8
Hull depth (supplier measurement)	1.37 m	Single-engine shaft	30 in
Bottom plate	6 mm	Twin-engine shaft	25 in
Topside plate	5 mm	Fish tank (included)	Capacity to confirm
Transom plate	6 mm	Live-bait tank (included)	Capacity to confirm
Listed hull / dry weight	1,680 kg		

Fishing and cabin features

- Enclosed-cabin configuration
- Fish and live-bait tanks listed
- 6 mm bottom and transom plates
- Self-draining system and bilge pump listed

The 350 L fuel tank is from the supplied GP-P750F quotation. Other manufacturer listings show different configurations. Confirm the ordered tank capacity and all inclusions in writing.

Listed power and persons are supplier reference figures. Confirm the Australian Builders Plate (ABP) for the supplied vessel. Hull depth is not internal freeboard. Photos do not define inclusions.

Specification basis: GP-P750F specification and quotation supplied by the dealer

Before you request a quote

Bring your boating plans. We will help turn them into a clear specification and a written package quotation.

Your fishing and family layout

Tell us your usual crew size, preferred seating, bait preparation and storage needs. Ask for cockpit dimensions, usable deck space, internal freeboard and cabin measurements for the selected build.

Engine, steering and electronics

Discuss the intended load and operating area, then confirm the approved power and engine weight, shaft length, rigging, propeller and steering. Choose a chartplotter / sounder, transducer and VHF arrangement around your fishing needs.

Boat, motor and trailer together

Request the complete dry BMT weight, loaded towing weight, tow-ball load and trailer dimensions. Include fuel, batteries and fitted equipment in the package assessment. Hull-only figures do not establish towing suitability.

Delivery and handover

Your quote should identify inclusions and exclusions, AUD pricing and GST treatment, freight or collection, engine installation, trailer supply, registration arrangements, payment stages and estimated delivery. Confirm ABP details and applicable safety equipment before handover.

Colours and hull graphics

Choose a colour direction and discuss your own artwork. Concept images help communicate style; model fit, materials, installation, artwork approval and pricing are confirmed separately.

Sources and configuration notes

Model data comes from the supplied GP-P625 Australian specification, the supplied GP-P750F quotation and the following manufacturer model listings. The 6.25 m configuration in this guide is GP-P625. Details remain subject to the agreed build specification.

Easy Craft 6.0 - manufacturer reference

Easy Craft 6.5 - manufacturer reference

Easy Craft 7.5 - manufacturer reference

Profisher 6.25 - manufacturer reference

Profisher 6.85 - manufacturer reference

Profisher 7.5 - manufacturer reference

Australian Builders Plate information

Victoria trailer and vehicle dimensions